

ANAHA LIFECARE LLP

#254/1-9, Biogen House, 3rd Floor, 11th Main Road, 3rd Phase Peenya Indl Area Bangalore



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample Code: EKA1-26-01-05213

Received On: 14/01/2026

Sample Name: Chaga Shroom Coffee Decaf

Analysed Between: 15/01/2026 to 20/01/2026

Sample Quantity: 7g x12no.s

Sampling Details: Not Sampled by Eureka

Sample Appearance: Pale Brown colour powder

Sample Packing: Ziploc Pouch

Customer Provided Details: Batch No: IFCSD2501|
A.R No: AQC250259| Mfg Date: DEC/2025| Exp Date: NOV/2027

Test Results

Sr. No.	Test Code	Test Parameter	Test Method	Result	Unit
Biological					
1	E1MI538	Total plate count	ISO 4833-1: 2013 Amd 2022	<10	cfu/g
2	E1MI430	Yeast and Mold	IS 5403 : 1999, RA: 2018	<10	cfu/g
3	E1MI21	<i>Salmonella spp</i>	ISO 6579-1:2017 Amd 2020.	Absent	/25g
4	E1MI04	<i>Escherichia coli</i>	ISO 16649-2:2001	<10	cfu/g



Dr. Bharath M R

Authorised Signatory

Biological

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Private Limited

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732