

ANAHA LIFECARE LLP

#254/1-9, Biogen House, 3rd Floor, 11th Main Road, 3rd Phase Peenya Indl Area Bangalore



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample Code: EKA1-26-01-05221

Received On: 14/01/2026

Sample Name: Chaga Shroom Coffee Decaf

Analysed Between: 16/01/2026 to 17/01/2026

Sample Quantity: 7g x12no.s

Sampling Details: Not Sampled by Eureka

Sample Appearance: Light Brown Colour Powder

Sample Packing: Ziploc Pouch

Customer Provided Details: Batch No: IFCSD2501|
A.R No: AQC250259| Mfg Date: DEC/2025| Exp Date: NOV/2027

Test Results

Sr. No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Chemical						
1	E1NI4029	Caffeine	ISO 20481:2008	<0.01	g/100 g	0.01

LOQ: Limit of Quantification



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****