

ANAHA LIFECARE LLP

#254/1-9, Biogen House, 3rd Floor, 11th Main Road, 3rd Phase Peenya Indl Area Bangalore

Mr. Harsh Kumar



Scan for Scope

ANALYTICAL REPORT

Sample code: EKA1-23-10-02964
 Sample Name: Lion's Mane Shroom Coffee
 Sample quantity: 150g
 Sample Appearance: Brown Colour Powder
 Condition on receipt: Good
 Sample packing: Ziploc Pouch
 Environmental Condition: Not Applicable
 Customer provided details: Batch No.: BLMC2304 |
 A.R No.: AQC19278 | Mfg Date: Sep-2023 |
 Exp Date: Aug-2025 | Sample Size: 15 Sachets x 8g

Received On: 10/10/2023
 Analysed between: 11/10/2023 to 14/10/2023
 Sampling Details: Not Sampled By Eureka
 Sampling Procedure: Not Applicable
 Sampling date: Not Applicable
 Sampling Location: Not Applicable
 Job File Reference: Not Applicable
 Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ	Limit
PESTICIDE							
1	-	Fosetyl A	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
2	-	Dithianon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
3	-	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
4	-	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
5	-	Dithiocarbamates	EKA-CHE-SOP-33	BLQ	mg/kg	0.01	-
6	-	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01	-
7	-	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01	-
8	-	Glufosinate Ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01	-
9	-	Paraquat dichloride	EKA-CHE-SOP-54	BLQ	mg/kg	0.01	-
10	-	Copper Hydroxide (Copper determined as elemental copper)	EKA-CHE-SOP-47	0.588	mg/kg	0.5	Max 30.0
11	-	Copper Oxychloride (Copper determined as elemental copper)	EKA-CHE-SOP-47	0.588	mg/kg	0.5	Max 30.0
12	-	Copper Sulphate (Copper determined as elemental copper)	EKA-CHE-SOP-47	0.588	mg/kg	0.5	Max 30.0
13	-	Cuprous Oxide (Copper determined as elemental copper)	EKA-CHE-SOP-47	0.588	mg/kg	0.5	Max 30.0
14	-	Other analysed pesticides	EKA-CHE-SOP-67	BLQ	mg/kg	-	-

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01
4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride (CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyriphos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.1	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.1	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.1	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.1	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01
63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoxazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
82	Fenvalerate	0.01	199	Sulfentrazone and its metabolite Desmethylsulfentrazone and 3- Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and itsmetabolites Difluoroacetic Acid and Difluoroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Milbemectin	0.01
94	Glyphosate	0.01	211	SodiumAcefloufen	0.01
95	Halosulfuron methyl	0.01	212	Sodium Para Nitro Phenolate	0.01
96	Hexaconazole	0.01			
97	Hexazinone	0.01			/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	213	Aldicarb	0.01
100	Imazethapyr	0.01	214	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	215	Chlordane	0.01
102	Indoxacarb	0.01	216	Heptachlor	0.01
103	Iprobenfos	0.01	217	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	218	Endosulfan	0.01
105	Isoprothiolane	0.01	219	Carbofuran	0.01
106	Isoproturon	0.01	220	Methomyl	0.01
107	Kasugamycin	0.01	221	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	222	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	223	Formothion	0.01
110	Linuron	0.01	224	Simazine	0.01
111	Lufenuron	0.01	225	Diazinon	0.01

112	Malathion	0.01	226	D.D.T	0.01
113	Mandipropamid	0.01	227	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	228	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	229	Methyl Parathion	0.01
116	Metaflumizone	0.01	230	Ethyl Parathion	0.01
117	Metalaxyl	0.01	231	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Sample Remark /Conclusion: The Submitted sample is in accordance to FSSR (Food Safety and Standards (Food Products Standards and Food Additives) Regulations, 2011, in its currently valid version, wherever limits are available.

Note: Tolerance limit of 0.01 mg/kg shall apply in cases of pesticides for which MRL have not been fixed.

Note: Conclusion is provided with reference to tested analytes only.



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

ANAHA LIFECARE LLP**#254/1-9, Biogen House, 3rd Floor, 11th Main Road, 3rd Phase Peenya Indl Area Bangalore****Mr. Harsh Kumar****ANALYTICAL REPORT**

Sample code: EKA1-23-10-02964
 Sample Name: Lion's Mane Shroom Coffee
 Sample quantity: 150g
 Sample Appearance: Brown Colour Powder
 Condition on receipt: Good
 Sample packing: Ziploc Pouch
 Environmental Condition: Not Applicable
 Customer provided details: Batch No.: BLMC2304 |
 A.R No.: AQC19278 | Mfg Date: Sep-2023 |
 Exp Date: Aug-2025 | Sample Size: 15 Sachets x 8g

Received On: 10/10/2023
 Analysed between: 11/10/2023 to 14/10/2023
 Sampling Details: Not Sampled By Eureka
 Sampling Procedure: Not Applicable
 Sampling date: Not Applicable
 Sampling Location: Not Applicable
 Job File Reference: Not Applicable
 Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDE						
1	E1RI1293	Hydrogen Cyanamide	EKA-CHE-SOP-155	BLQ	µg /kg	10.0
2	-	Triaccontanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01

LOQ: Limit of Quantification,
 BLQ: Below Limit of Quantification.

Sample Remark /Conclusion: The Submitted sample is in accordance to FSSR (Food Safety and Standards (Food Products Standards and Food Additives) Regulations, 2011, in its currently valid version, wherever limits are available.

Note: Tolerance limit of 0.01 mg/kg shall apply in cases of pesticides for which MRL have not been fixed.

Note: Conclusion is provided with reference to tested analytes only.



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732