

**ANAHA LIFECARE LLP**

**#254/1-9, Biogen House, 3rd Floor, 11th Main Road, 3rd Phase Peenya Indl Area Bangalore**

**Mr. Harsh Kumar**



Scan for Scope



Scan for Authentication

## **ANALYTICAL REPORT**

Sample code :EKA1-24-05-04203  
 Sample Name: Fenulean Trim Tonic  
 Sample quantity: 70g  
 Sample Appearance: Light Brown to Brown colour  
 Condition on receipt: Good  
 Sample packing: Ziploc Pouch  
 Environmental Condition: Not Applicable  
 Customer provided details: Batch No : BFFTT2401 |  
 AR No : AQC240053 | Mfg. Date : Jan-2024 | Expiry  
 Date : Dec-2025 | Ref. No.: AQC240053 | Date:  
 17.05.2024

Received On: 17/05/2024  
 Analysed between: 18/05/2024 to 23/05/2024  
 Sampling Details: Not Sampled By Eureka  
 Sampling Procedure: Not Applicable  
 Sampling date: Not Applicable  
 Sampling Location: Not Applicable  
 Job File Reference: Not Applicable  
 Seal No: Not Applicable

### **Test Results**

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ	FSSAI Limits
<b>PESTICIDES</b>						
1	Copper Oxychloride (Copper Determined as Elemental Copper)	EKA-CHE-SOP-47	7.99	mg/kg	0.5	Max. 30.0
2	Copper Hydroxide (Copper determined as elemental copper)	EKA-CHE-SOP-47	7.99	mg/kg	0.5	Max. 30.0
3	Copper Sulphate (Copper determined as elemental copper)	EKA-CHE-SOP-47	7.99	mg/kg	0.5	Max. 30.0
4	Cuprous Oxide (Copper determined as elemental copper)	EKA-CHE-SOP-47	7.99	mg/kg	0.5	Max. 30.0
5	Dithiocarbamates (as CS <sub>2</sub> )	EKA-CHE-SOP-33	BLQ	mg/kg	0.01	-
6	Fosetyl-Al	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
7	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01	-
8	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0	-
9	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
10	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
11	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
12	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
13	Glufosinate-ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01	-
14	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01	-
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01	-
16	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01	-
17	All Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-	-

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

**List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)**

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01
4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclbutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyriphos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyrithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.1	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.1	159	Quinalphos	0.01

43	Copper Sulphate (Copper determined as elemental copper)	0.1	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.1	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01
63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoxazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
82	Fenvalerate	0.01	199	Sulfentrazone and its metabolite Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluzifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01

### Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: [info@eurekaserv.com](mailto:info@eurekaserv.com), Website: [www.eurekaserv.com](http://www.eurekaserv.com), CIN: U73100KA2019PTC127732

87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites	0.01
89	Flusilazole	0.01	206	Difluroacetic Acid and Difluoroethylamino-furanone	0.01
90	Fluvalinate	0.01	207	Sulfoxaflor	0.01
91	Forchlorfenuron	0.01	208	Ferbam as CS2	0.01
92	Fosetyl-Al	0.01	209	Oxadiazon	0.01
93	Glufosinate Ammonium	0.01	210	Cinmethylen	0.01
94	Glyphosate	0.01	211	Triacantanol	0.01
95	Halosulfuron methyl	0.01	212	Milbemectin	0.01
96	Hexaconazole	0.01	213	Sodium Aceflourofen	0.01
97	Hexazinone	0.01		Sodium Para Nitro Phenolate	0.01
98	Hexythiazox	0.01	214	<b>Banned pesticides</b>	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01		Monocrotophos	0.01

LOQ: Limit of Quantification,  
BLQ: Below Limit of Quantification.

**Sample Remark /Conclusion:** The analyzed sample is in accordance to FSSR (Food Safety and Standards (Food Products Standards and Food Additives) Regulations, 2011, in its currently valid version, wherever limits are available.  
Note: Conclusion is provided with reference to tested analytes only.



Mr Sivabalan  
Authorised Signatory  
Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043  
Email: info@eukaserv.com, Website: www.eukaserv.com, CIN: U73100KA2019PTC127732