

ANAHA LIFECARE LLP

#254/1-9, Biogen House, 3rd Floor, 11th Main Road, 3rd Phase Peenya Indl Area Bangalore



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-24-08-06849
 Sample Name: Unflavoured Plant Protein
 Sample quantity: 70g
 Sample Appearance: Light Brown Colour Powder
 Condition on receipt: Good
 Sample packing: Sealed Polytheen Pack
 Environmental Condition: Not Applicable
 Customer provided details: Batch No: BFUPP2401 |
 AR No: AQC240150 | MFG Date: AUG-2024 |
 Expiry Date: JAN-2026

Received On: 28/08/2024
 Analysed between: 28/08/2024 to 30/08/2024
 Sampling Details: Not Sampled by Eureka
 Sampling Procedure: Not Applicable
 Sampling date: Not Applicable
 Sampling Location: Not Applicable
 Job File Reference: Not Applicable
 Seal No: Not Applicable

Test Results

Sr. No.	Test Parameter	Test Method	Result	Unit	LOQ	FSSAI Limit
PESTICIDES						
1	Copper Oxychloride (Copper Determined as Elemental Copper)	EKA-CHE-SOP-47	12.344	mg/kg	0.5	Max 30.0
2	Copper Hydroxide (Copper determined as elemental copper)	EKA-CHE-SOP-47	12.344	mg/kg	0.5	Max 30.0
3	Copper Sulphate (Copper determined as elemental copper)	EKA-CHE-SOP-47	12.344	mg/kg	0.5	Max 30.0
4	Cuprous Oxide (Copper determined as elemental copper)	EKA-CHE-SOP-47	12.344	mg/kg	0.5	Max 30.0
5	Dithiocarbamates (as CS ₂)	EKA-CHE-SOP-33	BLQ	mg/kg	0.01	-
6	Fosetyl- Al	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
7	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
8	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
9	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
11	Glufosinate-ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01	-
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01	-
13	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01	-
14	Paraquat Dichloride	EKA-CHE-SOP-54	BLQ	mg/kg	0.01	-
15	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01	-
16	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0	-
17	All Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-	-

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043
 Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01
4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiazyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluaazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01
63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoxazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
				Desmethylsulfentrazone and 3-	
82	Fenvalerate	0.01	199	Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
				Flupyradifurone and itsmetabolites Difluroacetic	
88	Flufenacet	0.01	205	Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflo	0.01
90	Fluvalinate	0.01	207	Oxadiazon	0.01
91	Forchlorfenuron	0.01	208	Cinmethylen	0.01
92	Fosetyl-Al	0.01	209	Milbemectin	0.01
93	Glufosinate Ammonium	0.01	210	SodiumAcefloufen	0.01
94	Glyphosate	0.01	211	Sodium Para Nitro Phenolate	0.01
95	Halosulfuron methyl	0.01		Banned pesticides	
96	Hexaconazole	0.01	212	Aldicarb	0.01
97	Hexazinone	0.01	213	Aldrin, dieldrin	0.01
98	Hexythiazox	0.01	214	Chlordane	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Heptachlor	0.01
100	Imazethapyr	0.01	216	Lindane Gamma-HCH	0.01
101	Imidacloprid	0.01	217	Endosulfan	0.01
102	Indoxacarb	0.01	218	Carbofuran	0.01
103	Iprobenfos	0.01	219	Methomyl	0.01
104	Iprodione	0.01	220	Phosphamidon	0.01
105	Isoprothiolane	0.01	221	Captafol 8	0.01
106	Isoproturon	0.01	222	Formothion	0.01
107	Kasugamycin	0.01	223	Simazine	0.01
108	Kresoxim Methyl	0.01	224	Diazinon	0.01
109	Lambda cyhalothrin	0.01	225	D.D.T	0.01
110	Linuron	0.01	226	Fenitrothion	0.01
111	Lufenuron	0.01	227	Fenthion	0.01
112	Malathion	0.01	228	Methyl Parathion	0.01
113	Mandipropamid	0.01	229	Ethyl Parathion	0.01
114	Mepiquat Chloride	0.01	230	Monocrotophos	0.01
115	Mesosulfuron Methyl	0.01	231	Ferbam as CS2	0.01
116	Metaflumizone	0.01			
117	Metalaxyl	0.01			

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043
 Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Sample Remark /Conclusion: The analysed sample is in accordance to FSSR (Food Products Standards and Food Additives) Regulations, 2011, in its currently valid version, wherever limits are available.

Note: Conclusion is provided with reference to tested analytes only.



Mr Sivabalan

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****