



Aces Intact Private Limited

14, Doctor House, Cumballa Hill, Mumbai-
400026 Maharashtra, India

Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample Code: EKA1-25-12-13126

Received On: 25/12/2025

Sample Name: Ace Blend Women's Methylated
Multivitamin Capsules

Analysed Between: 31/12/2025 to 07/01/2026

Sample Quantity: 60 Caps x 2 Nos

Sampling Details: Not Sampled by Eureka

Sample Appearance: Off white colour capsules

Sample Packing: Trade Pack

Customer Provided Details: Batch No : C04350 | A.R
No : AQC250044 | Mfg Date : 12/2025 | Exp Date :
11/2027

Test Results

Sr. No.	Test Code	Test Parameter	Test Method	Result	Unit
Biological					
1	E1MI538	Total plate count	ISO 4833-1: 2013 Amd 2022	2.2x10^2	cfu/g
2	E1MI58	Yeast and Mold	ISO 21527 (Part 2) : 2008	<10	cfu/g
3	E1MI21	Salmonella spp	ISO 6579-1:2017 Amd 2020.	<10	/25g
4	E1MI972	Escherichia coli	ISO 16649-2:2001	Absent	cfu/g

Dr. Bharath M R

Authorised Signatory

Biological

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Private Limited

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732

Page 1 of 1